	Application No.	Applicant(s)
Notice of Allowability		
	10/052,034 Examiner	SARNSTROM, TODD Art Unit
	CAMINIE	Artonic
	Leslie J. Evanisko	2854
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment dated 09/04/2007 and the interview on 09/28/2007.		
2. The allowed claim(s) is/are <u>1,3-5,10-22,25 and 26</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All . b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
· ·		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Dat 	
3. Information Disclosure Statements (PTO/SB/08),	7. X Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
of biological infatchal	9.	
		4

Application/Control Number: 10/052,034

Art Unit: 2854

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Alicia Griffin Mills (reg. no. 46,933) on September 28, 2007.

The application has been amended as follows:

IN THE CLAIMS:

In claim 1, line 1, the term "Apparatus" was deleted and replaced with -- apparatus-- to correct an obvious typographical error.

In claim 4, line 3, the term "slidable" was deleted to insure consistent terminology is used throughout the claims.

In claim 10, line 1, the phrase "at least one of the vertical guides" was deleted and replaced with --the at least one vertical guide--.

In claim 11, line 4, the term "rod" was deleted and replaced with --guide-- since no "rod" was previously recited.

In claim 12, line 3, the term "rod" was deleted and replaced with --guide-- since no "rod" was previously recited.

Application/Control Number: 10/052,034

Art Unit: 2854

In claim 17, line 1, the term "inc" was deleted and replaced with --in-- and the phrase "at least one of the at least one" was deleted and replaced with the phrase --the at least one--.

In claim 17, line 2, the term "guides" was deleted and replaced with --guide--.

Claim 24 has been <u>canceled</u> as being drawn to a non-elected invention, non-elected without traverse in the response dated September 4, 2007.

IN THE DRAWINGS:

The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

In Figure 4, reference numeral 56 and its associated lead line will be deleted and reference numeral 54 and an associated lead line will be added to designate the "driven element 54" described in the last paragraph on page 10 of the specification. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Leslie J. Evanisko** whose telephone number is **(571) 272-2161**. The examiner can normally be reached on T-F 8:00 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/052,034

Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2854

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ Leslie J. Evanisko / Leslie J. Evanisko Primary Examiner Art Unit 2854 Page 4

lje September 28, 2007